

RECONX: RECONSTRUCT ANY SCENE FROM SPARSE VIEWS WITH VIDEO DIFFUSION MODEL

Fangfu Liu^{*1}, Wenqiang Sun^{*2}, Hanyang Wang^{*1}, Yikai Wang^{†1}, Haowen Sun¹, Junliang Ye¹, Jun Zhang², Yueqi Duan^{†1}

¹Tsinghua University, ²HKUST

{liuff23, hanyang-21, sunhw24, yejl23}@mails.tsinghua.edu.cn, wsunap@connect.ust.hk, yikaiw@outlook.com, eejzhang@ust.hk, duanyueqi@tsinghua.edu.cn

ABSTRACT

Advancements in 3D scene reconstruction have transformed 2D images from the real world into 3D models, producing realistic 3D results from hundreds of input photos. Despite great success in dense-view reconstruction scenarios, rendering a detailed scene from insufficient captured views is still an ill-posed optimization problem, often resulting in artifacts and distortions in unseen areas. In this paper, we propose **ReconX**, a novel 3D scene reconstruction paradigm that reframes the ambiguous reconstruction challenge as a temporal generation task. The key insight is to unleash the strong generative prior of large pre-trained video diffusion models for sparse-view reconstruction. However, 3D view consistency struggles to be accurately preserved in directly generated video frames from pre-trained models. To address this, given limited input views, the proposed ReconX first constructs a global point cloud and encodes it into a contextual space as the 3D structure condition. Guided by the condition, the video diffusion model then synthesizes video frames that are both detail-preserved and exhibit a high degree of 3D consistency, ensuring the coherence of the scene from various perspectives. Finally, we recover the 3D scene from the generated video through a confidence-aware 3D Gaussian Splatting optimization scheme. Extensive experiments on various real-world datasets show the superiority of our ReconX over state-of-the-art methods in terms of quality and generalizability. Project Page: <https://liuff19.github.io/ReconX>.

1 INTRODUCTION

With the rapid development of photogrammetry techniques such as NeRF (Mildenhall et al., 2020) and 3D Gaussian Splatting (3DGS) (Kerbl et al., 2023), 3D reconstruction has become a popular research topic in recent years, finding various applications from virtual reality (Dalal et al., 2024) to autonomous navigation (Adamkiewicz et al., 2022) and beyond (Martin-Brualla et al., 2021b; Liu et al., 2024a; Wu et al., 2024a; Charatan et al., 2024). However, sparse-view reconstruction is an ill-posed problem (Gao et al., 2024; Yu et al., 2021) since it involves recovering a complex 3D structure from limited viewpoint information (*i.e.*, even as few as two images) that may correspond to multiple solutions. This uncertain process requires additional assumptions and constraints to yield a viable solution.

Recently, powered by the efficient and expressive 3DGS (Kerbl et al., 2023) with fast rendering speed and high quality, several feed-forward Gaussian Splatting methods (Charatan et al., 2024; Szymanowicz et al., 2024b; Chen et al., 2024a) have been proposed to explore 3D scene reconstruction from sparse view images. Although they can achieve promising interpolation results by learning scene-prior knowledge from feature extraction modules (*e.g.*, epipolar transformer (Charatan et al., 2024)), insufficient captures of the scene still lead to an ill-posed optimization problem (Wu et al., 2024b). As a result, they often suffer from severe artifact and implausible imagery issues when rendering the 3D scene from novel viewpoints, especially in unseen areas.

^{*}Equal Contribution [†] Corresponding Authors.



Figure 1: **An overview of our ReconX framework for sparse-view reconstruction.** Unleashing the strong generative prior of video diffusion models, we can create more observations for 3D reconstruction and achieve impressive performance.

To address the limitations, we propose **ReconX**, a novel 3D scene reconstruction paradigm that reformulates the inherently ambiguous reconstruction problem as a generation problem. Our key insight is to unleash the strong generative prior of pre-trained large video diffusion models (Blattmann et al., 2023a,b; Xing et al., 2023) to create more observations for the downstream reconstruction task. Despite the capability to synthesize video clips featuring plausible 3D structure (Gao et al., 2024), recovering a high-quality 3D scene from current video diffusion models is still challenging due to the poor 3D view consistency across generated 2D frames. Grounded by theoretical analysis, we explore the potential of incorporating 3D structure guidance into the video generative process, which bridges the gap between the under-determined 3D creation problem and the fully-observed 3D reconstruction setting. Specifically, given sparse images, we first build a global point cloud through a pose-free stereo reconstruction method. Then we encode it into a rich context representation space as the 3D condition in cross-attention layers, which guides the video diffusion model to synthesize detail-preserved frames with 3D consistent novel observations of the scene. Finally, we reconstruct the 3D scene from the generated video through Gaussian Splatting with a 3D confidence-aware and robust scene optimization scheme, which further deblurs the uncertainty in video frames effectively. Extensive experiments verify the efficacy of our framework and show that ReconX outperforms existing methods for high quality and generalizability, revealing the great potential to craft intricate 3D worlds from video diffusion models. The overview and examples of reconstructions are shown in Figure 1.

In summary, our main contributions are:

- We introduce ReconX, a novel sparse-view 3D scene reconstruction framework that reframes the ambiguous reconstruction challenge as a temporal generation task.
- We incorporate the 3D structure guidance into the conditional space of the video diffusion model to generate 3D consistent frames and propose a 3D confidence-aware optimization scheme in 3DGS to reconstruct the scene given the generated video.
- Extensive experiments demonstrate that our ReconX outperforms existing methods for high-fidelity and generalizability on a variety of real-world datasets.

2 RELATED WORK

Sparse-view reconstruction. NeRF and 3DGS typically demand hundreds of input images and rely on the multi-view stereo reconstruction (MVS) approaches (*e.g.*, COLMAP (Schönberger & Frahm, 2016)) to estimate the camera parameters. To address the issue of low-quality 3D reconstruction caused by sparse views, PixelNeRF (Yu et al., 2021) proposes using convolutional neural networks to extract features from the input context. Moreover, FreeNeRF (Yang et al., 2023) adopts the frequency and density regularized strategies to alleviate the artifacts caused by insufficient inputs without any additional cost. To mitigate the overfitting to input sparse views in 3DGS, FSGS (Zhu et al., 2023) and SparseGS (Xiong et al., 2023) employ a depth estimator to regularize the optimization process. However, these methods all require known camera intrinsics and extrinsics, which is

not practical in real-world scenario. Benefiting from the existing powerful 3D reconstruction model (*i.e.*, DUS3R (Wang et al., 2024a)), InstantSplat (Fan et al., 2024) is able to acquire accurate camera parameters and initial 3D representations from unposed sparse-view inputs, leading to the efficient and high-quality 3D reconstruction.

Regression model for generalizable view synthesis. While NeRF and 3DGS are optimized per-scene, a line of research aims to train feed-forward models that output a 3D representation directly from a few input images, bypassing the need for time-consuming optimization. Splatter image (Szymanowicz et al., 2024b) performs an efficient feed-forward manner for monocular 3D object reconstruction by predicting a 3D Gaussian for each image pixel. Meanwhile, pixelSplat (Charatan et al., 2024) proposes predicting the scene-level 3DGS from the image pairs, using the epipolar transformer to better extract scene features. Following that, MVsplat (Chen et al., 2024a) introduces the cost volume and depth refinements to produce a clean and high-quality 3D Gaussians in a faster way. To reconstruct a complete scene from a single image, Flash3D (Szymanowicz et al., 2024a) adopts a hierarchical 3DGS learning policy and depth constraint to achieve high-quality interpolation and extrapolation view synthesis. Although these methods leverage the 3D data priors, they are limited by the scarcity and diversity of 3D data. Consequently, these methods struggle to acquire high-quality renderings in unseen areas, especially when OOD data is used as input.

Generative models for 3D reconstruction. Constructing comprehensive 3D scenes from limited observations demands generating 3D content, particularly for unseen areas. Earlier studies distill the knowledge in the pre-trained text-to-image diffusion models (Rombach et al., 2022; Saharia et al., 2022; Ramesh et al., 2022) into a coherent 3D model. Specifically, the Score Distillation Sampling (SDS) technique (Wu et al., 2024b; Lin et al., 2023; Liu et al., 2024c; Wang et al., 2024b) is adopted to synthesize a 3D object from the text prompt. To enhance the 3D consistency, several approaches (Wu et al., 2024a; Shi et al., 2023; Liu et al., 2023) inject the camera information into diffusion models, providing strong multi-view priors. Furthermore, ZeroNVS (Sargent et al., 2023) and CAT3D (Gao et al., 2024) extend the multi-view diffusion to the scene level generation. More recently, video diffusion models (Blattmann et al., 2023a; Xing et al., 2023) have shown an impressive ability to produce realistic videos and are believed to implicitly understand 3D structures (Liu et al., 2024b). SV3D (Voleti et al., 2024) and V3D (Chen et al., 2024b) explore fine-tuning the pre-trained video diffusion model for 3D object generation. Meanwhile, MotionCtrl (Wang et al., 2024c) and CameraCtrl (He et al., 2024) achieve scene-level controllable video generation from a single image by explicitly injecting the camera pose into video diffusion models. However, they don't work for the unconstrained sparse-view reconstruction, which requires strong 3D consistency.

3 PRELIMINARIES

Video Diffusion Models. Diffusion models (Ho et al., 2020; Song et al., 2020) have emerged as the cutting-edge paradigm to generate high-quality videos. These models learn the underlying data distribution by adding and removing noise on the clean data. The forward process aims to transform a clean data sample $\mathbf{x}_0 \sim p(\mathbf{x})$ to a pure Gaussian noise $\mathbf{x}_T \sim \mathcal{N}(0, I)$, following the process:

$$\mathbf{x}_t = \sqrt{\bar{\alpha}_t} \mathbf{x}_0 + \sqrt{1 - \bar{\alpha}_t} \epsilon, \quad \epsilon \sim \mathcal{N}(\mathbf{0}, \mathbf{1}), \quad (1)$$

where \mathbf{x}_t and $\bar{\alpha}_t$ denotes the noisy data and noise strength at the timestep t . The denoising neural network ϵ_θ is trained to predict the noises added in the forward process, which is achieved by the MSE loss:

$$\mathcal{L} = \mathbb{E}_{\mathbf{x} \sim p, \epsilon \sim \mathcal{N}(0, I), c, t} \left[\|\epsilon - \epsilon_\theta(\mathbf{x}_t, t, c)\|_2^2 \right], \quad (2)$$

where c represents the embeddings of conditions like text or image prompt. For the video diffusion models, Latent Diffusion Models (LDMs) (Rombach et al., 2022), which compress images into the latent space, are commonly employed to mitigate the computation complexity while maintaining competitive performance.

3D Gaussian Splatting. 3DGS (Kerbl et al., 2023) represents a scene explicitly by utilizing a set of 3D Gaussian spheres, achieving a fast and high-quality rendering. A 3D Gaussian is modeled by a position vector $\boldsymbol{\mu} \in \mathbb{R}^3$, a covariance matrix $\boldsymbol{\Sigma} \in \mathbb{R}^{3 \times 3}$, an opacity $\alpha \in \mathbb{R}$, and spherical harmonics (SH) coefficient $\mathbf{c} \in \mathbb{R}^k$ (Ramamoorthi & Hanrahan, 2001). Moreover, the Gaussian distribution is formulated as the following:

$$G(\mathbf{x}) = e^{-\frac{1}{2}(\mathbf{x} - \boldsymbol{\mu})^T \boldsymbol{\Sigma}^{-1}(\mathbf{x} - \boldsymbol{\mu})}, \quad (3)$$

where $\Sigma = \mathbf{R} \mathbf{S} \mathbf{S}^T \mathbf{R}^T$, \mathbf{S} denotes the scaling matrix and \mathbf{R} is the rotation matrix.

In the rendering stage, the 3D Gaussian spheres are transformed into 2D camera planes through rasterization (Zwicker et al., 2001). Specifically, given the perspective transformation matrix \mathbf{W} and Jacobin of the projection matrix \mathbf{J} , the 2D covariance matrix in the camera space is computed as

$$\Sigma' = \mathbf{J} \mathbf{W} \Sigma \mathbf{W}^T \mathbf{J}^T. \quad (4)$$

For every pixel, the Gaussians are traversed in depth order from the image plane, and their view-dependent colors c_i are combined through alpha compositing, leading to the pixel color C :

$$C = \sum_{i \in N} c_i \alpha_i \prod_{j=1}^{i-1} (1 - \alpha_j). \quad (5)$$

End-to-end Dense Unconstrained Stereo. DUS3R (Wang et al., 2024a) is a new model to predict a dense and accurate 3D scene representation solely from image pairs without any prior information about the scene. Given two unposed images $\{\mathbf{I}_1, \mathbf{I}_2\}$, this end-to-end model is trained to estimate the point maps $\{P_{1,1}, P_{2,1}\}$ and confidence maps $\{\mathcal{C}_{1,1}, \mathcal{C}_{2,1}\}$, which can be utilized to recover the camera parameters and dense point cloud. The training procedure for view $v \in \{1, 2\}$ is formulated as a regression loss:

$$\mathcal{L} = \left\| \frac{1}{z_i} \cdot P_{v,1} - \frac{1}{\hat{z}_i} \cdot \hat{P}_{v,1} \right\|, \quad (6)$$

where P and \hat{P} denote the ground-truth and prediction point maps, respectively. The scaling factors $z_i = \text{norm}(P_{1,1}, P_{2,1})$ and $\hat{z}_i = \text{norm}(\hat{P}_{1,1}, \hat{P}_{2,1})$ are adopted to normalize the point maps, which merely indicate the mean distance D of all valid points from the origin:

$$\text{norm}(P_{1,1}, P_{2,1}) = \frac{1}{|D_1| + |D_2|} \sum_{v \in \{1,2\}} \sum_{i \in D_v} \|P_v^i\|. \quad (7)$$

4 MOTIVATION FOR RECONX

In this paper, we focus on the fundamental problem of 3D scene reconstruction and novel view synthesis (NVS) from very sparse view (*e.g.*, as few as two) images. Most existing works (Chen et al., 2024a; Yu et al., 2021; Charatan et al., 2024; Szymanowicz et al., 2024a) utilize 3D prior and geometric constraints (*e.g.*, depth, normal, cost volume) to fill the gap between observed and novel regions in sparse-view 3D reconstruction. Although capable of producing highly realistic images from the given viewpoints, these methods often struggle to generate high-quality images in areas not visible from the input perspectives due to the inherent problem of insufficient viewpoints and the resulting instability in the reconstruction process. To address this, a natural idea is to create more observations to collapse the under-determined 3D creation problem into a fully constrained 3D reconstruction setting. Recently, video generative models have shown promise for synthesizing video clips featuring 3D structure (Voleti et al., 2024; Blattmann et al., 2023a; Xing et al., 2023). This inspires us to unleash the strong generative prior of large pre-trained video diffusion models to create temporal consistent video frames for sparse-view reconstruction. Nevertheless, it is non-trivial as the main challenge lies in poor 3D view consistency among video frames, which significantly limits the downstream 3DGS training process. To achieve 3D consistency within video generation, we first analyze the video diffusion modeling from a 3D distributional view. Let \mathbf{x} be the set of rendering 2D images from any 3D scene in the world, $q(\mathbf{x})$ be the distribution of the rendering data \mathbf{x} , our goal is to minimize the divergence \mathcal{D} :

$$\min_{\theta \in \Theta, \psi \in \Psi} \mathcal{D}(q(\mathbf{x}) \| p_{\theta, \psi}(\mathbf{x})), \quad (8)$$

where $p_{\theta, \psi}$ be a diffusion model parameterized by $\theta \in \Theta$ (the parameters in the backbone) and $\psi \in \Psi$ (any embedding function shared by all data). In vanilla video diffusion model (Xing et al., 2023), they choose CLIP (Radford et al., 2021) model g to add an image-based condition (*i.e.*, $\psi = g$). However, in sparse-view 3D reconstruction, only limited 2D images as the condition cannot provide sufficient guidance for approximating $q(\mathbf{x})$ (Charatan et al., 2024; Chen et al., 2024a; Wu et al., 2024b). Motivated by this, we explore the potential of incorporating the native 3D prior




Figure 2: **Pipeline of ReconX.** Given sparse-view images as input, we first build a global point cloud and project it into 3D context representation space as 3D structure guidance. Then we inject the 3D structure guidance into the video diffusion process and guide it to generate 3D consistent video frames. Finally, we reconstruct the 3D scene from the generated video through Gaussian Splatting with a 3D confidence-aware and robust scene optimization scheme. In this way, we unleash the strong power of the video diffusion model to reconstruct intricate 3D scenes from very sparse views.

(denoted by \mathcal{F}) to find a more optimal solution in Equation 8 and derive a theoretical formulation for our analysis in Proposition 1.

Proposition 1. *Let $\theta^*, \psi^* = g^*$ be the optimal solution of the solely image-based conditional diffusion scheme and $\tilde{\theta}^*, \tilde{\psi}^* = \{g^*, \mathcal{F}^*\}$ be the optimal solution of diffusion scheme with native 3D prior. Suppose the divergence \mathcal{D} is convex and the embedding function space Ψ includes all measurable functions, we have $\mathcal{D}(q(\mathbf{x}) \| p_{\tilde{\theta}^*, \tilde{\psi}^*}(\mathbf{x})) < \mathcal{D}(q(\mathbf{x}) \| p_{\theta^*, \psi^*}(\mathbf{x}))$. (Proof in our Appendix)*

Towards this end, we reformulate the inherently ambiguous reconstruction problem as a generation problem by incorporating 3D native structure guidance into the diffusion process.

5 METHOD

5.1 OVERVIEW OF RECONX

Given K sparse-view (i.e., as few as two) images $\mathcal{I} = \{\mathbf{I}^i\}_{i=1}^K$, ($\mathbf{I}^i \in \mathbb{R}^{H \times W \times 3}$), our goal is to reconstruct the underlying 3D scene, where we can synthesize novel views of unseen viewpoints. In our framework ReconX, we first build a global point cloud $\mathcal{P} = \{\mathbf{p}_i, 1 \leq i \leq N\} \in \mathbb{R}^{N \times 3}$ from \mathcal{I} and project \mathcal{P} into the 3D context representation space \mathcal{F} as the structure guidance $\mathcal{F}(\mathcal{P})$ (Sec. 5.2). Then we inject $\mathcal{F}(\mathcal{P})$ into the video diffusion process to generate 3D consistent video frames $\mathcal{I}' = \{\mathbf{I}^i\}_{i=1}^{K'}$, ($K' > K$), thus creating more observations (Sec. 5.3). To alleviate the negative artifacts caused by the inconsistency among generated videos, we utilize the confidence maps $\mathcal{C} = \{\mathcal{C}_i\}_{i=1}^{K'}$ from the DUS3R model and LPIPS loss (Zhang et al., 2018a) to achieve a robust 3D reconstruction (Sec. 5.4). In this way, we can unleash the full power of the video diffusion model to reconstruct intricate 3D scenes from very sparse views. Our pipeline is depicted in Figure 2.

5.2 BUILDING THE 3D STRUCTURE GUIDANCE

Grounded by the theoretical analysis in Sec. 4, we leverage an unconstrained stereo 3D reconstruction method DUS3R (Wang et al., 2024a) with point-based representations to build the 3D structure guidance \mathcal{F} . Given a set of sparse images $\mathcal{I} = \{\mathbf{I}^i\}_{i=1}^K$, we first construct a connectivity graph $\mathcal{G}(\mathcal{V}, \mathcal{E})$ of K input views similar to DUS3R, where vertices \mathcal{V} and each edge $e = (n, m) \in \mathcal{E}$ indicates that the images \mathbf{I}^n and \mathbf{I}^m shares visual contents. Then we use \mathcal{G} to recover a globally aligned point cloud \mathcal{P} . For each image pair $e = (n, m)$, we predict pairwise pointmaps $P^{n,n}, P^{m,n}$ and their corresponding confidence maps $\mathcal{C}^{n,n}, \mathcal{C}^{m,n} \in \mathbb{R}^{H \times W \times 3}$. For clarity, let's denote $P^{n,e} := P^{n,n}$ and $P^{m,e} := P^{m,n}$. Since we aim to rotate all pairwise predictions into a shared coordinate frame, we

introduce transformation matrix T_e and scaling factor σ_e associated with each pair $e \in \mathcal{E}$ to optimize global point cloud \mathcal{P} as:

$$\mathcal{P}^* = \arg \min_{\mathcal{P}, T, \sigma} \sum_{e \in \mathcal{E}} \sum_{v \in e} \sum_{i=1}^{HW} \mathcal{C}_i^{v,e} \|\mathcal{P}_i^v - \sigma_e T_e \mathcal{P}_i^{v,e}\|. \quad (9)$$

More details of the point cloud extraction can be found in Wang et al. (2024a). Having aligned the point clouds \mathcal{P} , we now project it into a 3D context representation space \mathcal{F} through a transformer-based encoder for better interaction with latent features of the video diffusion model. Specifically, we embed the input point cloud \mathcal{P} into a latent code using a learnable embedding function and a cross-attention encoding module:

$$\mathcal{F}(\mathcal{P}) = \text{FFN} \left(\text{CrossAttn}(\text{PosEmb}(\tilde{\mathcal{P}}), \text{PosEmb}(\mathcal{P})) \right), \quad (10)$$

where $\tilde{\mathcal{P}}$ is a down-sampled version of \mathcal{P} at 1/8 scale to efficiently distill input points to a compact 3D context space. Finally, we get the 3D structure guidance $\mathcal{F}(\mathcal{P})$ which contains sparse structural information of the 3D scene that can be interpreted by the denoising U-Net.

5.3 3D CONSISTENT VIDEO FRAMES GENERATION

In this subsection, we incorporate the 3D structure guidance $\mathcal{F}(\mathcal{P})$ into the video diffusion process to obtain 3D consistent frames. To achieve consistency between generated frames and high-fidelity rendering views of the scene, we utilize the video interpolation capability to recover more unseen observations, where the first frame and the last frame of input to the video diffusion model are two reference views. Specifically, given sparse-view images $\mathcal{I} = \{\mathbf{I}_{\text{ref}}^i\}_{i=1}^K$ as input, we aim to render consistent frames $f(\mathbf{I}_{\text{ref}}^{i-1}, \mathbf{I}_{\text{ref}}^i) = \{\mathbf{I}_{\text{ref}}^{i-1}, \mathbf{I}_2, \dots, \mathbf{I}_T, \mathbf{I}_{\text{ref}}^i\} \in \mathbb{R}^{(T+2) \times 3 \times H \times W}$ where T is the number of generated novel frames. To unify the notation, we denote the embedding of image condition in the pretrained video diffusion model as $F_g = g(\mathbf{I}_{\text{ref}})$ and the embedding of 3D structure guidance as $F_{\mathcal{F}} = \mathcal{F}(\mathcal{P})$. Subsequently, we inject the 3D guidance into the video diffusion process by interacting with the U-Net intermediate feature F_{in} through the cross-attention of spatial layers:

$$F_{\text{out}} = \text{Softmax}\left(\frac{QK_g^T}{\sqrt{d}}\right)V_g + \lambda_{\mathcal{F}} \cdot \text{Softmax}\left(\frac{QK_{\mathcal{F}}^T}{\sqrt{d}}\right)V_{\mathcal{F}}, \quad (11)$$

where $Q = F_{\text{in}}W_Q$, $K_g = F_gW_K$, $V_g = F_gW_V$, $K_{\mathcal{F}} = F_{\mathcal{F}}W'_K$, $V_{\mathcal{F}} = F_{\mathcal{F}}W'_V$ are the query, key, and value of 2D and 3D embeddings respectively. $W_Q, W_K, W'_K, W_V, W'_V$ are the projection matrices and $\lambda_{\mathcal{F}}$ denotes the coefficient that balances image-conditioned and 3D structure-conditioned features. Given the first and last two views condition c_{view} from F_g and 3D structure condition c_{struc} from $F_{\mathcal{F}}$, we apply the classifier-free guidance (Ho & Salimans, 2022) strategy to incorporate the condition and our training objective is:

$$\mathcal{L}_{\text{diffusion}} = \mathbb{E}_{\mathbf{x} \sim p, \epsilon \sim \mathcal{N}(0, I), c_{\text{view}}, c_{\text{struc}}, t} \left[\|\epsilon - \epsilon_{\theta}(\mathbf{x}_t, t, c_{\text{view}}, c_{\text{struc}})\|_2^2 \right], \quad (12)$$

where \mathbf{x}_t is the noise latent from the ground-truth views of the training data.

5.4 CONFIDENCE-AWARE 3DGS OPTIMIZATION.

Built upon the well-designed 3D structure guidance, our video diffusion model generates highly consistent video frames, which can be used to reconstruct the 3D scene. As conventional 3D reconstruction methods are originally designed to handle real-captured photographs with calibrated camera metrics, directly applying these approaches to these generated videos are not perfect to recover the coherent scene due to the uncertainty of unconstrained images (Wang et al., 2024a; Fan et al., 2024). To alleviate the uncertainty issue, we adopt a confidence-aware 3DGS mechanism to reconstruct the intricate scene. Different from recent approaches (Martin-Brualla et al., 2021a; Ren et al., 2024) which model the uncertainty in per-image, we instead focus on a global alignment among a series of frames. For the generated frames $\{\mathbf{I}_i\}_{i=1}^{K'}$, we denote \hat{C}_i and C_i the per-pixel color value for generated and ground-truth view i . Then, we model the pixel values as a Gaussian distribution in our 3DGS, where the mean and variance of I_i are C_i and σ_i . The variance σ_i measures

| Method | RealEstate10K | | | ACID | | |
|------------------------------------|-----------------|-----------------|--------------------|-----------------|-----------------|--------------------|
| | PSNR \uparrow | SSIM \uparrow | LPIPS \downarrow | PSNR \uparrow | SSIM \uparrow | LPIPS \downarrow |
| pixelNeRF (Yu et al., 2021) | 20.43 | 0.589 | 0.550 | 20.97 | 0.547 | 0.533 |
| GPNR (Suhail et al., 2022) | 24.11 | 0.793 | 0.255 | 25.28 | 0.764 | 0.332 |
| AttnRend (Du et al., 2023) | 24.78 | 0.820 | 0.213 | 26.88 | 0.799 | 0.218 |
| MuRF (Xu et al., 2024) | 26.10 | 0.858 | 0.143 | 28.09 | 0.841 | 0.155 |
| pixelSplat (Charatan et al., 2024) | 25.89 | 0.858 | 0.142 | 28.14 | 0.839 | 0.150 |
| MVSplat (Chen et al., 2024a) | 26.39 | 0.839 | 0.128 | 28.25 | 0.843 | 0.144 |
| ReconX (Ours) | 28.31 | 0.912 | 0.088 | 28.84 | 0.891 | 0.101 |

Table 1: **Quantitative comparisons for small angle variance in input views.** For each scene, the model takes two views as input and renders three novel views for evaluation. We outperform all baseline methods in terms of PSNR, LPIPS, and SSIM for novel view synthesis on the real-world RealEstate10K (Zhou et al., 2018) and ACID (Liu et al., 2021) datasets.

the discrepancy between the generated view and the real view. Our target is to minimize the following negative log-likelihood among all frames:

$$\mathcal{L}_{I_i} = -\log \left(\frac{1}{\sqrt{2\pi\sigma_i^2}} \exp \left(-\frac{\|\hat{C}_i' - C_i\|_2^2}{2\sigma^2} \right) \right). \quad (13)$$

where $\hat{C}_i' = \mathcal{A}(\hat{C}_i, \{\hat{C}_i\}_{i=1}^{K'} \setminus \hat{C}_i)$ and \mathcal{A} is the global alignment function. Through empirical study, we find a well-aligned mapping function \mathcal{A} from the transformer decoder of DUS3R, which builds the confidence maps $\{C_i\}_{i=1}^{K'}$ for each generated frames $\{I_i\}_{i=1}^{K'}$. Specifically, the confidence score tends to be lower in areas that are difficult to estimate (e.g., regions with solid colors) while the score will be higher in areas with less uncertainty. Moreover, we introduce LPIPS (Zhang et al., 2018b) loss to remove the artifacts and further enhance the visual quality. Towards this end, we formulate the confidence-aware 3DGS loss as:

$$\mathcal{L}_{\text{conf}} = \sum_{i=1}^{K'} C_i \left(\lambda_{\text{rgb}} \mathcal{L}_1(\hat{I}_i, I_i) + \lambda_{\text{ssim}} \mathcal{L}_{\text{ssim}}(\hat{I}_i, I_i) + \lambda_{\text{lpiips}} \mathcal{L}_{\text{lpiips}}(\hat{I}_i, I_i) \right). \quad (14)$$

where \mathcal{L}_1 , $\mathcal{L}_{\text{ssim}}$, and $\mathcal{L}_{\text{lpiips}}$ denote the L_1 , SSIM, and LPIPS loss, respectively, with λ_{rgb} , λ_{ssim} , and λ_{lpiips} being their corresponding coefficient parameters. In comparison to the photometric loss (e.g., \mathcal{L}_1 and $\mathcal{L}_{\text{ssim}}$), LPIPS loss is mainly focused on the high-level semantic information.

6 EXPERIMENTS

In this section, we conduct extensive experiments to evaluate our sparse-view reconstruction framework ReconX. We first present the setup of the experiment (Sec 6.1). Then we report our qualitative and quantitative results compared to representative baseline methods in various settings such as different angle variances from input views and cross-dataset generalization (Sec 6.2). Finally, we conduct ablation studies to further verify the efficacy of our framework design (Sec 6.3). Please refer to our project page for more comparisons and visualizations.

6.1 EXPERIMENT SETUP

Implementation Details. In our framework, we choose DUS3R (Wang et al., 2024a) as our unconstrained stereo 3D reconstruction backbone and I2V model DynamiCrafter (Xing et al., 2023) (@ 512 \times 512 resolution) as the video diffusion backbone. We first finetune the image cross-attention layers with 2000 steps on the learning rate 1×10^{-4} for warm-up. Then we incorporate the 3D structure condition c_{struc} into the video diffusion model and further finetune the spatial layers with 30K steps on the learning rate of 1×10^{-5} . Our video diffusion was trained on 3D scene datasets by sampling 32 frames with dynamic FPS at the resolution of 512 \times 512 in a batch. The AdamW (Loshchilov & Hutter, 2017) optimizer is employed for optimization. At the inference of our video diffusion, we adopt DDIM sampler (Song et al., 2022) using multi-condition classifier free guidance (Ho & Salimans, 2022). Similar to Xing et al. (2023), we adopt tanh gating to learn $\lambda_{\mathcal{F}}$




Figure 3: **Qualitative comparison for small angle variance in input views.** The first four rows are from RealEstate10K (Zhou et al., 2018), while the last one is from ACID (Liu et al., 2021). Given two nearby input sparse views, our approach produces more accurate and perceptually appealing images in test scenes than the baselines.

| Method | ACID | | | RealEstate10K | | |
|------------------------------------|-----------------|-----------------|--------------------|-----------------|-----------------|--------------------|
| | PSNR \uparrow | SSIM \uparrow | LPIPS \downarrow | PSNR \uparrow | SSIM \uparrow | LPIPS \downarrow |
| pixelSplat (Charatan et al., 2024) | 16.83 | 0.476 | 0.494 | 19.62 | 0.730 | 0.270 |
| MVSplat (Chen et al., 2024a) | 16.49 | 0.466 | 0.486 | 19.97 | 0.732 | 0.245 |
| ReconX (Ours) | 24.53 | 0.847 | 0.083 | 23.70 | 0.867 | 0.143 |

Table 2: **Quantitative comparison for large angle variance in input views.** Given input views with large angle variance, our results have larger improvements than SOTA methods.

adaptively. The training is conducted on 8 NVIDIA A800 (80G) GPUs in two days. In 3DGS optimization stage, we choose the point maps of first and end frames as the initial global point cloud and all 32 generated frames are used to reconstruct the scene. Our implementation follows the pipeline of the original 3DGS (Kerbl et al., 2023), but unlike this method, we omit the adaptive control process and attain high-quality renderings in just 1000 steps. The coefficients λ_{rgb} , λ_{ssim} , and λ_{lrips} are set to 0.8, 0.2, and 0.5, respectively.

Datasets. The video diffusion model of ReconX is trained on three datasets: RealEstate-10K (Zhou et al., 2018), ACID (Liu et al., 2021), and DL3DV-10K (Ling et al., 2023) based on the pretrained model. RealEstate-10K is a dataset downloaded from YouTube, which is split into 67,477 training scenes and 7,289 test scenes. The ACID dataset consists of natural landscape scenes, with 11,075 training scenes and 1,972 testing scenes. DL3DV-10K is a large-scale outdoor dataset containing




Figure 4: **Qualitative comparison for large angle variance in input views.** Given more challenging settings (*i.e.*, input views are far away from each other as the frame ID shows), our method ReconX demonstrates more improvements and superiority than baseline methods.

10,510 videos with consistent capture standards. For each scene video, we randomly sample 32 contiguous frames with random skips and serve the first and last frames as the input for our video diffusion model. To further validate our cross-data generalizability, we also directly evaluate our method on DTU (Jensen et al., 2014) dataset and NeRF-LLFF (Mildenhall et al., 2019) dataset which are two popular multi-view datasets in NVS task.

Baselines and Metrics. We compare our ReconX with original 3DGS (Kerbl et al., 2023) and several representative baselines that focus on sparse-view 3D reconstruction, including: NeRF-based pixelNeRF (Yu et al., 2021) and MuRF (Xu et al., 2024); Light Field based GPNR (Suhail et al., 2022) and AttnRend (Du et al., 2023); and the recent state-of-the-art 3DGS-based pixelSplat (Charatan et al., 2024) and MVSplat (Chen et al., 2024a). For quantitative results, we report the standard metrics in NVS, including PSNR, SSIM (Wang et al., 2004), LPIPS (Zhang et al., 2018b). For a fair comparison, we conduct experiments on 256×256 resolutions following existing methods (Charatan et al., 2024; Chen et al., 2024a).

6.2 COMPARISON WITH BASELINES

Comparison for small angle variance in input views. For fair comparison with baseline methods like MuNeRF (Xu et al., 2024), pixelSplat (Charatan et al., 2024), and MVSplat (Chen et al., 2024a), we first compare our reconX with baseline method from sparse views with small angle variance (see Table 1 and Figure 3). We observe that our ReconX surpasses all previous state-of-the-art models in terms of all metrics on visual quality and qualitative perception.

Comparison for large angle variance in input views. As MVSplat and pixelSplat are much better than previous baselines, we conduct thorough comparisons with them in more difficult settings. In more challenging settings (*i.e.*, given sparse views with large angle variance), our proposed ReconX demonstrate more significant improvement than baselines, especially in unseen and generalized viewpoints (see Table 2 and Figure 4). This clearly shows the effectiveness of ReconX in creating more consistent observations from video diffusion to mitigate the inherent ill-posed sparse-view reconstruction problem.

Cross-dataset generalization. Unleashing the strong generative power of the video diffusion model through 3D structure guidance, our ReconX is inherently superior in generalizing to out-of-distribution novel scenes. To demonstrate our strong generalizability, we conduct two cross-dataset




Figure 5: **Qualitative results in cross-dataset generalization.** Models trained on the source dataset RealEstate10K are tested on NeRF-LLFF and DTU datasets.

evaluations. For a fair comparison, we train the models solely on the RealEstate10K and directly test them on two popular NVS datasets (*i.e.*, NeRF-LLFF (Mildenhall et al., 2019) and DTU (Jensen et al., 2014)). As shown in Table 3 and Figure 5, the competitive baseline methods MVSplat (Chen et al., 2024a) and pixelSplat (Charatan et al., 2024) fail to render such OOD datasets which contain different camera distributions and image appearance, leading to dramatic performance degradation. In contrast, our ReconX shows impressive generalizability and the gain is larger when the domain gap from training and test data becomes larger.

Assessing more-view quality. Our framework ReconX is agnostic to the number of input views. Specifically, given N views as input, we sample a plausible camera trajectory to render image pairs using our video diffusion models and finally optimize the 3D scene from all generated frames. For a fair comparison with Chen et al. (2024a), we verify this by testing on DTU with three context views. Our results are PSNR: 22.83, SSIM: 0.512, LPIPS: 0.317, MVSplat’s are PSNR: 14.30, SSIM: 0.508, LPIPS: 0.371, and pixelSplat’s are PSNR: 12.52, SSIM: 0.367, LPIPS: 0.585. Compared to the two-view results (Table 3), our ReconX and MVSplat both achieve better performance given more input views while we are much better than MVSplat. However, pixelSplat performs worse when using more views also shown in Chen et al. (2024a). More visualization of our results with more input views can be found in our project page.

6.3 ABLATION STUDY AND ANALYSIS

We carry out ablation studies on RealEstate10K to analyze the design of our ReconX framework in Table 4 and Figure 6. A naive combination of pretrained video diffusion model and Gaussian Splatting is regarded as the “base”. Specifically, we ablation on the following aspects of our method: 3D structure guidance, confidence-aware optimization, and LPIPS loss. The results indicate that the omission of any of these elements leads to a degradation in terms of quality and consistency. Notably, the basic combination of original video diffusion model and 3DGS leads to significant distortion of the scene. The absence of 3D structure guidance causes inconsistent generated frames especially in distant input views, resulting in blur and artifact issues. The lack of confidence-aware optimization leads to suboptimal results in some local detail areas. Adding LPIPS loss in confidence-aware 3DGS optimization would provide clearer rendering views. This illustrates the effectiveness of our overall framework (Figure 2), which drives generalizable and high-fidelity 3D reconstruction given only sparse views as input.




Figure 6: **Visualization results of ablation study.** We ablate the design choices of 3D structure guidance, confidence-aware optimization, and the LPIPS loss.

| Training data | Method | NeRF-LLFF | | | DTU | | |
|-----------------------------------|------------------------------------|-----------------|-----------------|--------------------|-----------------|-----------------|--------------------|
| | | PSNR \uparrow | SSIM \uparrow | LPIPS \downarrow | PSNR \uparrow | SSIM \uparrow | LPIPS \downarrow |
| RealEstate10K (Zhou et al., 2018) | pixelSplat (Charatan et al., 2024) | 11.42 | 0.312 | 0.611 | 12.89 | 0.382 | 0.560 |
| | MVSplat (Chen et al., 2024a) | 11.60 | 0.353 | 0.425 | 13.94 | 0.473 | 0.385 |
| | ReconX (Ours) | 21.05 | 0.768 | 0.178 | 19.78 | 0.476 | 0.378 |

Table 3: **Quantitative results in cross-dataset generalization.** Models trained on the source dataset RealEstate10K are tested on unseen scenes from target datasets NeRF-LLFF (Mildenhall et al., 2019) and DTU (Jensen et al., 2014), without any fine-tuning.

7 CONCLUSION

In this paper, we introduce ReconX, a novel sparse-view 3D reconstruction framework that reformulates the inherently ambiguous reconstruction problem as a generation problem. The key to our success is that we unleash the strong prior of video diffusion models to create more plausible observations frames for sparse-view reconstruction. Grounded by empirical study and theoretical analysis, we propose to incorporate 3D structure guidance into the video diffusion process for better 3D consistent video frames generation. What’s more, we propose a 3D confidence-aware scheme to optimize the final 3DGS from generated frames, which effectively address the uncertainty issue. Extensive experiments demonstrate the superiority of our ReconX the latest state-of-the-art methods in terms of high quality and strong generalizability in unseen data.

Limitations and Future Work. Although our ReconX achieves remarkable reconstruction results in novel viewpoints, the quality still seems to be limited to the backbone itself as we choose the U-Net based diffusion model DynamiCrafter (Xing et al., 2023) in this work. We expect them to be solved with open-sourced larger video diffusion models (e.g., DiT-based framework). In the future, it is interesting to integrate 3DGS optimization directly with the video generation model, enabling more efficient end-to-end 3D scene reconstruction. We are also interested in exploring consistent 4D scene reconstruction. We believe that ReconX provides a promising research direction to craft intricate 3D worlds from video diffusion models and will inspire more works in the future.

REFERENCES

Michal Adamkiewicz, Timothy Chen, Adam Caccavale, Rachel Gardner, Preston Culbertson, Jeanette Bohg, and Mac Schwager. Vision-only robot navigation in a neural radiance world. *IEEE Robotics and Automation Letters*, 7(2):4606–4613, 2022.

-
- Andreas Blattmann, Tim Dockhorn, Sumith Kulal, Daniel Mendelevitch, Maciej Kilian, Dominik Lorenz, Yam Levi, Zion English, Vikram Voleti, Adam Letts, et al. Stable video diffusion: Scaling latent video diffusion models to large datasets. *arXiv preprint arXiv:2311.15127*, 2023a.
- Andreas Blattmann, Robin Rombach, Huan Ling, Tim Dockhorn, Seung Wook Kim, Sanja Fidler, and Karsten Kreis. Align your latents: High-resolution video synthesis with latent diffusion models. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 22563–22575, 2023b.
- David Charatan, Sizhe Lester Li, Andrea Tagliasacchi, and Vincent Sitzmann. pixelsplat: 3d gaussian splats from image pairs for scalable generalizable 3d reconstruction. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 19457–19467, 2024.
- Yuedong Chen, Haofei Xu, Chuanxia Zheng, Bohan Zhuang, Marc Pollefeys, Andreas Geiger, Tat-Jen Cham, and Jianfei Cai. Mvsplat: Efficient 3d gaussian splatting from sparse multi-view images. *arXiv preprint arXiv:2403.14627*, 2024a.
- Zilong Chen, Yikai Wang, Feng Wang, Zhengyi Wang, and Huaping Liu. V3d: Video diffusion models are effective 3d generators. *arXiv preprint arXiv:2403.06738*, 2024b.
- Anurag Dalal, Daniel Hagen, Kjell G Robbersmyr, and Kristian Muri Knausgård. Gaussian splatting: 3d reconstruction and novel view synthesis, a review. *IEEE Access*, 2024.
- Yilun Du, Cameron Smith, Ayush Tewari, and Vincent Sitzmann. Learning to render novel views from wide-baseline stereo pairs. In *CVPR*, 2023.
- Zhiwen Fan, Wenyan Cong, Kairun Wen, Kevin Wang, Jian Zhang, Xinghao Ding, Danfei Xu, Boris Ivanovic, Marco Pavone, Georgios Pavlakos, et al. Instantsplat: Unbounded sparse-view pose-free gaussian splatting in 40 seconds. *arXiv preprint arXiv:2403.20309*, 2024.
- Ruiqi Gao, Aleksander Holynski, Philipp Henzler, Arthur Brussee, Ricardo Martin-Brualla, Pratul Srinivasan, Jonathan T Barron, and Ben Poole. Cat3d: Create anything in 3d with multi-view diffusion models. *arXiv preprint arXiv:2405.10314*, 2024.
- Hao He, Yinghao Xu, Yuwei Guo, Gordon Wetzstein, Bo Dai, Hongsheng Li, and Ceyuan Yang. Cameractrl: Enabling camera control for text-to-video generation. *arXiv preprint arXiv:2404.02101*, 2024.
- Jonathan Ho and Tim Salimans. Classifier-free diffusion guidance. *arXiv preprint arXiv:2207.12598*, 2022.
- Jonathan Ho, Ajay Jain, and Pieter Abbeel. Denoising diffusion probabilistic models. *Advances in neural information processing systems*, 33:6840–6851, 2020.
- Rasmus Jensen, Anders Dahl, George Vogiatzis, Engin Tola, and Henrik Aanæs. Large scale multi-view stereopsis evaluation. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 406–413, 2014.
- Bernhard Kerbl, Georgios Kopanas, Thomas Leimkühler, and George Drettakis. 3d gaussian splatting for real-time radiance field rendering. *ACM Transactions on Graphics*, 42(4), July 2023. URL <https://repo-sam.inria.fr/fungraph/3d-gaussian-splatting/>.
- Chen-Hsuan Lin, Jun Gao, Luming Tang, Towaki Takikawa, Xiaohui Zeng, Xun Huang, Karsten Kreis, Sanja Fidler, Ming-Yu Liu, and Tsung-Yi Lin. Magic3d: High-resolution text-to-3d content creation. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 300–309, 2023.
- Lu Ling, Yichen Sheng, Zhi Tu, Wentian Zhao, Cheng Xin, Kun Wan, Lantao Yu, Qianyu Guo, Zixun Yu, Yawen Lu, Xuanmao Li, Xingpeng Sun, Rohan Ashok, Aniruddha Mukherjee, Hao Kang, Xiangrui Kong, Gang Hua, Tianyi Zhang, Bedrich Benes, and Aniket Bera. D13dv-10k: A large-scale scene dataset for deep learning-based 3d vision, 2023. URL <https://arxiv.org/abs/2312.16256>.

-
- Andrew Liu, Richard Tucker, Varun Jampani, Ameesh Makadia, Noah Snavely, and Angjoo Kanazawa. Infinite nature: Perpetual view generation of natural scenes from a single image. In *ICCV*, 2021.
- Fangfu Liu, Hanyang Wang, Weiliang Chen, Haowen Sun, and Yueqi Duan. Make-your-3d: Fast and consistent subject-driven 3d content generation. *arXiv preprint arXiv:2403.09625*, 2024a.
- Fangfu Liu, Hanyang Wang, Shunyu Yao, Shengjun Zhang, Jie Zhou, and Yueqi Duan. Physics3d: Learning physical properties of 3d gaussians via video diffusion. *arXiv preprint arXiv:2406.04338*, 2024b.
- Fangfu Liu, Diankun Wu, Yi Wei, Yongming Rao, and Yueqi Duan. Sherpa3d: Boosting high-fidelity text-to-3d generation via coarse 3d prior. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 20763–20774, 2024c.
- Yuan Liu, Cheng Lin, Zijiao Zeng, Xiaoxiao Long, Lingjie Liu, Taku Komura, and Wenping Wang. Syncdreamer: Generating multiview-consistent images from a single-view image. *arXiv preprint arXiv:2309.03453*, 2023.
- Ilya Loshchilov and Frank Hutter. Decoupled weight decay regularization. *arXiv preprint arXiv:1711.05101*, 2017.
- Ricardo Martin-Brualla, Noha Radwan, Mehdi SM Sajjadi, Jonathan T Barron, Alexey Dosovitskiy, and Daniel Duckworth. Nerf in the wild: Neural radiance fields for unconstrained photo collections. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pp. 7210–7219, 2021a.
- Ricardo Martin-Brualla, Noha Radwan, Mehdi SM Sajjadi, Jonathan T Barron, Alexey Dosovitskiy, and Daniel Duckworth. Nerf in the wild: Neural radiance fields for unconstrained photo collections. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pp. 7210–7219, 2021b.
- Ben Mildenhall, Pratul P. Srinivasan, Rodrigo Ortiz-Cayon, Nima Khademi Kalantari, Ravi Ramamoorthi, Ren Ng, and Abhishek Kar. Local light field fusion: Practical view synthesis with prescriptive sampling guidelines, 2019. URL <https://arxiv.org/abs/1905.00889>.
- Ben Mildenhall, Pratul P Srinivasan, Matthew Tancik, Jonathan T Barron, Ravi Ramamoorthi, and Ren Ng. Nerf: Representing scenes as neural radiance fields for view synthesis. In *European Conference on Computer Vision*, pp. 405–421. Springer, 2020.
- Alec Radford, Jong Wook Kim, Chris Hallacy, Aditya Ramesh, Gabriel Goh, Sandhini Agarwal, Girish Sastry, Amanda Askell, Pamela Mishkin, Jack Clark, et al. Learning transferable visual models from natural language supervision. In *International conference on machine learning*, pp. 8748–8763. PMLR, 2021.
- Ravi Ramamoorthi and Pat Hanrahan. An efficient representation for irradiance environment maps. In *Proceedings of the 28th annual conference on Computer graphics and interactive techniques*, pp. 497–500, 2001.
- Aditya Ramesh, Prafulla Dhariwal, Alex Nichol, Casey Chu, and Mark Chen. Hierarchical text-conditional image generation with clip latents. *arXiv preprint arXiv:2204.06125*, 1(2):3, 2022.
- Weining Ren, Zihan Zhu, Boyang Sun, Jiaqi Chen, Marc Pollefeys, and Songyou Peng. Nerf on-the-go: Exploiting uncertainty for distractor-free nerfs in the wild. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 8931–8940, 2024.
- Robin Rombach, Andreas Blattmann, Dominik Lorenz, Patrick Esser, and Björn Ommer. High-resolution image synthesis with latent diffusion models. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pp. 10684–10695, 2022.
- Chitwan Saharia, William Chan, Saurabh Saxena, Lala Li, Jay Whang, Emily L Denton, Kamyar Ghasemipour, Raphael Gontijo Lopes, Burcu Karagol Ayan, Tim Salimans, et al. Photorealistic text-to-image diffusion models with deep language understanding. *Advances in neural information processing systems*, 35:36479–36494, 2022.

-
- Kyle Sargent, Zizhang Li, Tanmay Shah, Charles Herrmann, Hong-Xing Yu, Yunzhi Zhang, Eric Ryan Chan, Dmitry Lagun, Li Fei-Fei, Deqing Sun, et al. Zeronvs: Zero-shot 360-degree view synthesis from a single real image. *arXiv preprint arXiv:2310.17994*, 2023.
- Johannes Lutz Schönberger and Jan-Michael Frahm. Structure-from-Motion Revisited. In *Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016.
- Yichun Shi, Peng Wang, Jianglong Ye, Mai Long, Kejie Li, and Xiao Yang. Mvdream: Multi-view diffusion for 3d generation. *arXiv preprint arXiv:2308.16512*, 2023.
- Jiaming Song, Chenlin Meng, and Stefano Ermon. Denoising diffusion implicit models, 2022. URL <https://arxiv.org/abs/2010.02502>.
- Yang Song, Jascha Sohl-Dickstein, Diederik P Kingma, Abhishek Kumar, Stefano Ermon, and Ben Poole. Score-based generative modeling through stochastic differential equations. *arXiv preprint arXiv:2011.13456*, 2020.
- Mohammed Suhail, Carlos Esteves, Leonid Sigal, and Ameesh Makadia. Generalizable patch-based neural rendering. In *ECCV*, 2022.
- Stanislaw Szymanowicz, Eldar Insafutdinov, Chuanxia Zheng, Dylan Campbell, João F Henriques, Christian Rupprecht, and Andrea Vedaldi. Flash3d: Feed-forward generalisable 3d scene reconstruction from a single image. *arXiv preprint arXiv:2406.04343*, 2024a.
- Stanislaw Szymanowicz, Christian Rupprecht, and Andrea Vedaldi. Splatter image: Ultra-fast single-view 3d reconstruction. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 10208–10217, 2024b.
- Vikram Voleti, Chun-Han Yao, Mark Boss, Adam Letts, David Pankratz, Dmitry Tochilkin, Christian Laforte, Robin Rombach, and Varun Jampani. Sv3d: Novel multi-view synthesis and 3d generation from a single image using latent video diffusion. *arXiv preprint arXiv:2403.12008*, 2024.
- Shuzhe Wang, Vincent Leroy, Yohann Cabon, Boris Chidlovskii, and Jerome Revaud. Dust3r: Geometric 3d vision made easy. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 20697–20709, 2024a.
- Zhengyi Wang, Cheng Lu, Yikai Wang, Fan Bao, Chongxuan Li, Hang Su, and Jun Zhu. Prolificdreamer: High-fidelity and diverse text-to-3d generation with variational score distillation. *Advances in Neural Information Processing Systems*, 36, 2024b.
- Zhou Wang, Alan C Bovik, Hamid R Sheikh, and Eero P Simoncelli. Image quality assessment: from error visibility to structural similarity. *IEEE transactions on image processing*, 13(4):600–612, 2004.
- Zhouxia Wang, Ziyang Yuan, Xintao Wang, Yaowei Li, Tianshui Chen, Menghan Xia, Ping Luo, and Ying Shan. Motionctrl: A unified and flexible motion controller for video generation. In *ACM SIGGRAPH 2024 Conference Papers*, pp. 1–11, 2024c.
- Kailu Wu, Fangfu Liu, Zhihan Cai, Runjie Yan, Hanyang Wang, Yating Hu, Yueqi Duan, and Kaisheng Ma. Unique3d: High-quality and efficient 3d mesh generation from a single image. *arXiv preprint arXiv:2405.20343*, 2024a.
- Rundi Wu, Ben Mildenhall, Philipp Henzler, Keunhong Park, Ruiqi Gao, Daniel Watson, Pratul P Srinivasan, Dor Verbin, Jonathan T Barron, Ben Poole, et al. Reconfusion: 3d reconstruction with diffusion priors. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 21551–21561, 2024b.
- Jinbo Xing, Menghan Xia, Yong Zhang, Haoxin Chen, Xintao Wang, Tien-Tsin Wong, and Ying Shan. Dynamicrafter: Animating open-domain images with video diffusion priors. *arXiv preprint arXiv:2310.12190*, 2023.

-
- Haolin Xiong, Sairisheek Muttukuru, Rishi Upadhyay, Pradyumna Chari, and Achuta Kadambi. Sparsegs: Real-time 360 $\{\deg\}$ sparse view synthesis using gaussian splatting. *arXiv preprint arXiv:2312.00206*, 2023.
- Haofei Xu, Anpei Chen, Yuedong Chen, Christos Sakaridis, Yulun Zhang, Marc Pollefeys, Andreas Geiger, and Fisher Yu. Murf: Multi-baseline radiance fields. In *CVPR*, 2024.
- Jiawei Yang, Marco Pavone, and Yue Wang. Freenerf: Improving few-shot neural rendering with free frequency regularization. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pp. 8254–8263, 2023.
- Alex Yu, Vickie Ye, Matthew Tancik, and Angjoo Kanazawa. pixelnerf: Neural radiance fields from one or few images. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pp. 4578–4587, 2021.
- Richard Zhang, Phillip Isola, Alexei A Efros, Eli Shechtman, and Oliver Wang. The unreasonable effectiveness of deep features as a perceptual metric. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 586–595, 2018a.
- Richard Zhang, Phillip Isola, Alexei A Efros, Eli Shechtman, and Oliver Wang. The unreasonable effectiveness of deep features as a perceptual metric. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 586–595, 2018b.
- Tinghui Zhou, Richard Tucker, John Flynn, Graham Fyffe, and Noah Snavely. Stereo magnification: Learning view synthesis using multiplane images. *ACM Trans. Graph. (Proc. SIGGRAPH)*, 37, 2018. URL <https://arxiv.org/abs/1805.09817>.
- Zehao Zhu, Zhiwen Fan, Yifan Jiang, and Zhangyang Wang. Fsgs: Real-time few-shot view synthesis using gaussian splatting. *arXiv preprint arXiv:2312.00451*, 2023.
- Matthias Zwicker, Hanspeter Pfister, Jeroen Van Baar, and Markus Gross. Surface splatting. In *Proceedings of the 28th annual conference on Computer graphics and interactive techniques*, pp. 371–378, 2001.

A THEORETICAL PROOF

Proposition 1. *Let $\theta^*, \psi^* = g^*$ be the optimal solution of the solely image-based conditional diffusion scheme and $\tilde{\theta}^*, \tilde{\psi}^* = \{g^*, \mathcal{F}^*\}$ be the optimal solution of diffusion scheme with native 3D prior. Suppose the divergence \mathcal{D} is convex and the embedding function space Ψ includes all measurable functions, we have $\mathcal{D}(q(\mathbf{x}) \| p_{\tilde{\theta}^*, \tilde{\psi}^*}(\mathbf{x})) < \mathcal{D}(q(\mathbf{x}) \| p_{\theta^*, \psi^*}(\mathbf{x}))$.*

Proof. According to the convexity of \mathcal{D} and Jensen’s inequality $\mathcal{D}(\mathbb{E}[X]) \leq \mathbb{E}[\mathcal{D}(X)]$, where X is a random variable, we have:

$$\begin{aligned} \mathcal{D}\left(q(\mathbf{x}) \| p_{\tilde{\theta}^*, \tilde{\psi}^*}(\mathbf{x})\right) &= \mathcal{D}\left(\mathbb{E}_{q(s)} q(\mathbf{x}|s) \| \mathbb{E}_{q(s)} p_{\tilde{\theta}^*, \tilde{\psi}^*}(\mathbf{x}|s)\right) \\ &\leq \mathbb{E}_{q(s)} \mathcal{D}\left(q(\mathbf{x}|s) \| p_{\tilde{\theta}^*, \tilde{\psi}^*}(\mathbf{x}|s)\right) \\ &= \mathbb{E}_{q(s)} \mathcal{D}\left(q(\mathbf{x}|s) \| p_{\tilde{\theta}^*, g^*, \mathcal{F}^*}(\mathbf{x}|s)\right), \end{aligned} \quad (15)$$

where we incorporate an intermediate variable s , which represents a specific scene. $q(\mathbf{x}|s)$ indicates the conditional distribution of rendering data \mathbf{x} given the specific scene s . According to the definition of $\tilde{\theta}^*, g^*, \mathcal{F}^*$, we have:

$$\begin{aligned} \mathbb{E}_{q(s)} \mathcal{D}\left(q(\mathbf{x}|s) \| p_{\tilde{\theta}^*, g^*, \mathcal{F}^*}(\mathbf{x}|s)\right) &= \min_{\theta, g, \mathcal{F}} \mathbb{E}_{q(s)} \mathcal{D}\left(q(\mathbf{x}|s) \| p_{\theta, g, \mathcal{F}}(\mathbf{x}|s)\right) \\ &= \min_{\theta} \mathbb{E}_{q(s)} \min_{g(s), \mathcal{F}(s)} \mathcal{D}\left(q(\mathbf{x}|s) \| p_{\theta, g(s), \mathcal{F}(s)}(\mathbf{x})\right) \\ &= \min_{\theta} \mathbb{E}_{q(s)} \min_{g, E} \mathcal{D}\left(q(\mathbf{x}|s) \| p_{\theta, g, E}(\mathbf{x})\right), \end{aligned} \quad (16)$$

where E is the general 3D encoder in 3D structure conditional scheme while it is a redundant embedding in solely image-based conditional scheme, *i.e.*, $\psi = \{g, E(\emptyset)\}$. Combining Equation 15 and 16, we have:

$$\begin{aligned} \mathcal{D}\left(q(\mathbf{x}) \| p_{\tilde{\theta}^*, \tilde{\psi}^*}(\mathbf{x})\right) &\leq \min_{\theta} \mathbb{E}_{q(s)} \min_{g, E} \mathcal{D}\left(q(\mathbf{x}|s) \| p_{\theta, g, E}(\mathbf{x})\right) \\ &< \min_{\theta, g, E} \mathcal{D}\left(q(\mathbf{x}) \| p_{\theta, g, E}(\mathbf{x})\right) = \min_{\theta, g, E(\emptyset)} \mathcal{D}\left(q(\mathbf{x}) \| p_{\theta, g, E(\emptyset)}(\mathbf{x})\right) \\ &= \min_{\theta, \psi} \mathcal{D}\left(q(\mathbf{x}) \| p_{\theta, \psi}(\mathbf{x})\right) = \mathcal{D}\left(q(\mathbf{x}) \| p_{\theta^*, \psi^*}(\mathbf{x})\right). \end{aligned} \quad (17)$$

The second inequality holds because given any specific scene s in any parameter $\theta \in \Theta$, approximating $q(\mathbf{x}|s)$ is simpler than $q(\mathbf{x})$ by only tuning the encoder E of $p_{\theta, g, E}$ ¹, *i.e.*, $\min_E \mathcal{D}\left(q(\mathbf{x}|s) \| p_{\theta, g, E}(\mathbf{x})\right) < \min_E \mathcal{D}\left(q(\mathbf{x}) \| p_{\theta, g, E}(\mathbf{x})\right)$.

Consequently, the proof of Proposition 1 has been done.

¹A simple verifiable case is to optimize the parameters of 3DGS by only 2D images (solely image-based conditional learning) or using a SFM initialization from collected images (native 3D conditional learning) before optimization. The latter provides a more constrained and optimal solution space.